Subject Index to Volume 10

Note: Supplementary material indexed with Issue No. followed by page No., e.g., Abstracts of 14th annual meeting, 1: P-19 (Jan/Feb 1989 issue, page P-19).

A

A23187, biologic response of sperm to, in oligozoospermia, 214
Abstracts of 14th annual meeting, 1: P-19
Acid phosphatase, seminal fluid activity, in accessory sex gland infection, 50
Acrosin activity, of spermatozoa, assay, 221
Acrosome reaction, synchronous assay for, 232
ACTH, Sertoli cell response to (rat), 202
Actin, in fertilization, 275
Acyl CoA:1-acyl-sn-glycero-3-phosphate acyl transferase, in sperm phosphatidylcholine synthesis, 346
Adenosine monophosphate, cyclic (cAMP), Leydig cell, calcitonin and, 311
S-Adenosyl-L-methionine decarboxylase, testicular activity, during sexual maturation (rat), 152
Adrenal gland, cortisol secretion, alcoholism and, 54
Age/aging, circadian variation in non-sex hormone-binding globulin-bound testosterone and, 366
Alcoholism, cortisol secretion in, during abstinence, 54
Alpha subunit secretion
  GnRH and (rat), 180
  pulse analysis, 248
Androgen(s)
  cytosolic receptors, in epididymis, vas deferens and seminal vesicle (mouse), 188
  neonatal treatment, mast cells in male reproductive organs and (rat), 351
  receptors, Leydig cell, calcitonin and, 311
  serum, effect of MK-906, 259
Androgen-binding protein (ABP)
  Sertoli cell secretion, tolnidamine and (rat), 466
  in testis and epididymis of seasonal breeder, 289
  Zoladex therapy and (rat), 478
Androstanediol glucuronide, serum, effect of MK-906, 259
Androsterone glucuronide, serum, effect of MK-906, 259
Angiography, in varicocele (dog), 9
Antigen
  prostate-specific, 432
  seminal vesicle-specific, 432
Antispermatogenic agents, tolnidamine, 466
Arachidonic acid, LHRH agonist-stimulated testosterone secretion by Leydig cells and (rat), 449
Arginine vasopressin, receptors, in seminal vesicles and renal medulla, 393
Aromatase
  Sertoli cell activity, MSH and, 202
  testolactone and, 240
Arthritis, adjuvant-induced, testicular dysfunction in (rat), 419

B

Behavior
  cyclophosphamide-induced anomalies in third generation (rat), 296
  nonsexual, in GnRH antagonist-treated male rat, testosterone dose-dependency of, 167
  of offspring, paternal cocaine use and, 17
Blood-epididymis barrier, in immature rat, ultrastructural studies, 425
Blood pressure, venous, in varicocele (dog), 9

C

Calcitonin
  effect on TM_3 cell line and rat Leydig cells, 311
  effect on TM_4 cell line and rat Sertoli cells, 321
Calcium ionophore. *See* A23187
Capacitation, synchronous assay for, 232
CellSoft system
  sperm motility following epichlorohydrin (rat), 401
  sperm movement characteristics
    effect of indomethacin and oxaprozin on, 108
    in prediction of fertility, 133
Citric acid, seminal fluid, in accessory sex gland infection, 50
Cocaine, male reproductive function and sexual behavior and (rat), 17
Computer analysis. *See also* CellSoft system
  in predicting sperm in vitro fertilizing capacity, 133
  in prediction of fertility from a seminal sample, 89
Contraception, GnRH agonist treatment (dog), 456
Corticosterone, serum, in adjuvant-induced arthritis (rat), 419
Cortisol, secretion, in alcoholic men, 54
Cyclophosphamide, physical/behavioral changes in offspring, anomalies in third generation (rat), 296
Cytochalasin D, sperm penetration of hamster egg and, 275

D

Deconvolution analysis, GnRH-stimulated alpha subunit and LH secretion, 248
17,20-Desmolase, testolactone and, 240
Dihydrotestosterone, serum, effect of MK-906, 259
Docosahexanoic acid, phosphatidylcholine synthesis from, by spermatozoa, 346
[D-Trp^6, des-Gly-$NH_2{}^{10}$]LHRH ethylamide. *See* GnRH agonist; LHRH agonist

E

EDS. *See* Ethane dimethyl sulphonate
Electron microscopy, blood-epididymis barrier, in immature rat, 425
Electrophoresis
  polyacrylamide gel (PAGE), two-dimensional, epididymal sperm maturation (rat), 64
  two-dimensional, prostate-specific antigen in semen liquefaction, 432
Epichlorohydrin, sperm motility and (rat), 401
Epididymal fluid, sperm maturation and (rat), 64
Epididymis
  androgen binding protein in (seasonal breeder), 289
  caput, fertility of sperm from, 263
  cytosolic androgen receptors in (mouse), 188
  mast cells in, neonatal steroid treatment and (rat), 351
  sperm maturation in (rat), 64
Erectile dysfunction, quantitative assessment of nocturnal penile tumescence and rigidity via home monitor, 492
Estradiol, testolactone and, 240
Estrogen
  neonatal treatment, mast cells in male reproductive organs and (rat), 351

Subject Index to Volume 10

Note: Supplementary material indexed with Issue No. followed by page No., e.g., Abstracts of 14th annual meeting, 1: P-19 (Jan/Feb 1989 issue, page P-19).

A

A23187, biologic response of sperm to, in oligozoospermia, 214
Abstracts of 14th annual meeting, 1: P-19
Acid phosphatase, seminal fluid activity, in accessory sex gland infection, 50
Acrosin activity, of spermatozoa, assay, 221
Acrosome reaction, synchronous assay for, 232
ACTH, Sertoli cell response to (rat), 202
Actin, in fertilization, 275
Acyl CoA:1-acyl-sn-glycero-3-phosphate acyl transferase, in sperm phosphatidylcholine synthesis, 346
Adenosine monophosphate, cyclic (cAMP), Leydig cell, calcitonin and, 311
S-Adenosyl-L-methionine decarboxylase, testicular activity, during sexual maturation (rat), 152
Adrenal gland, cortisol secretion, alcoholism and, 54
Age/aging, circadian variation in non-sex hormone-binding globulin-bound testosterone and, 366
Alcoholism, cortisol secretion in, during abstinence, 54
Alpha subunit secretion
  GnRH and (rat), 180
  pulse analysis, 248
Androgen(s)
  cytosolic receptors, in epididymis, vas deferens and seminal vesicle (mouse), 188
  neonatal treatment, mast cells in male reproductive organs and (rat), 351
  receptors, Leydig cell, calcitonin and, 311
  serum, effect of MK-906, 259
Androgen-binding protein (ABP)
  Sertoli cell secretion, tolnidamine and (rat), 466
  in testis and epididymis of seasonal breeder, 289
  Zoladex therapy and (rat), 478
Androstanediol glucuronide, serum, effect of MK-906, 259
Androsterone glucuronide, serum, effect of MK-906, 259
Angiography, in varicocele (dog), 9
Antigen
  prostate-specific, 432
  seminal vesicle-specific, 432
Antispermatogenic agents, tolnidamine, 466
Arachidonic acid, LHRH agonist-stimulated testosterone secretion by Leydig cells and (rat), 449
Arginine vasopressin, receptors, in seminal vesicles and renal medulla, 393
Aromatase
  Sertoli cell activity, MSH and, 202
  testolactone and, 240
Arthritis, adjuvant-induced, testicular dysfunction in (rat), 419

B

Behavior
  cyclophosphamide-induced anomalies in third generation (rat), 296
  nonsexual, in GnRH antagonist-treated male rat, testosterone dose-dependency of, 167
  of offspring, paternal cocaine use and, 17
Blood-epididymis barrier, in immature rat, ultrastructural studies, 425
Blood pressure, venous, in varicocele (dog), 9

C

Calcitonin
  effect on TM_3 cell line and rat Leydig cells, 311
  effect on TM_4 cell line and rat Sertoli cells, 321
Calcium ionophore. *See* A23187
Capacitation, synchronous assay for, 232
CellSoft system
  sperm motility following epichlorohydrin (rat), 401
  sperm movement characteristics
    effect of indomethacin and oxaprozin on, 108
    in prediction of fertility, 133
Citric acid, seminal fluid, in accessory sex gland infection, 50
Cocaine, male reproductive function and sexual behavior and (rat), 17
Computer analysis. *See also* CellSoft system
  in predicting sperm in vitro fertilizing capacity, 133
  in prediction of fertility from a seminal sample, 89
Contraception, GnRH agonist treatment (dog), 456
Corticosterone, serum, in adjuvant-induced arthritis (rat), 419
Cortisol, secretion, in alcoholic men, 54
Cyclophosphamide, physical/behavioral changes in offspring, anomalies in third generation (rat), 296
Cytochalasin D, sperm penetration of hamster egg and, 275

D

Deconvolution analysis, GnRH-stimulated alpha subunit and LH secretion, 248
17,20-Desmolase, testolactone and, 240
Dihydrotestosterone, serum, effect of MK-906, 259
Docosahexanoic acid, phosphatidylcholine synthesis from, by spermatozoa, 346
[D-Trp^6, des-Gly-$NH_2{}^{10}$]LHRH ethylamide. *See* GnRH agonist; LHRH agonist

E

EDS. *See* Ethane dimethyl sulphonate
Electron microscopy, blood-epididymis barrier, in immature rat, 425
Electrophoresis
  polyacrylamide gel (PAGE), two-dimensional, epididymal sperm maturation (rat), 64
  two-dimensional, prostate-specific antigen in semen liquefaction, 432
Epichlorohydrin, sperm motility and (rat), 401
Epididymal fluid, sperm maturation and (rat), 64
Epididymis
  androgen binding protein in (seasonal breeder), 289
  caput, fertility of sperm from, 263
  cytosolic androgen receptors in (mouse), 188
  mast cells in, neonatal steroid treatment and (rat), 351
  sperm maturation in (rat), 64
Erectile dysfunction, quantitative assessment of nocturnal penile tumescence and rigidity via home monitor, 492
Estradiol, testolactone and, 240
Estrogen
  neonatal treatment, mast cells in male reproductive organs and (rat), 351

receptors, Leydig cell, calcitonin and, 311
Ethane dimethyl sulphonate (EDS), Leydig cell precursor proliferation and differentiation after exposure to (rat), 472
Ethanol ingestion. *See also* Alcoholism
chronic, in puberty, testicular 5α-reductase and (mouse), 28

F

Fc receptors, Leydig cells, 159
Fertility/infertility
fertility of sperm from caput epididymis, 263
genetically defined mouse models, 77
GnRH agonist treatment and (dog), 456
infectious dysfunction of accessory sex glands, 50
infertile women with endometriosis, TNF and sperm motility, 270
oligozoospermic, testolactone therapy, 240
oxygen radical generation and defective sperm function in oligozoospermia, 214
prediction of fertility potential of seminal sample, 89
relationship between sperm motility and quality and success of GIFT, 139
sperm acrosin activity assay, 221
steroid metabolism and morphologic features of testis in, 43
Fertilization, cytochalasin D and, 275
Fetus, Leydig cell, transmembrane signaling system in (rat), 487
Flow cytometry, sperm mitochondrial function and motility, 439
Follicle-stimulating hormone (FSH)
effect on Leydig cell–Sertoli cell co-culture, 359
immobilization stress and (rat), 210
modulatory protein, in testis and seminal plasma, 386
secretion, in chronic renal insufficiency, LHRH and (rat), 174
Fructose, seminal fluid, in accessory sex gland infection, 50
FSH. *See* Follicle-stimulating hormone
FSH agonist, in testis and seminal plasma, 386

G

Gamete intrafallopian transfer. *See* GIFT
Gamma-glutamyltranspeptidase, seminal fluid activity, in accessory sex gland infection, 50
Gene mutations, male infertility (mouse), 77
Genotoxicity, cyclophosphamide (rat), 296
Germ cell
cellular L-ornithine decarboxylase and S-adenosyl-L-methionine decarboxylase activity, in testicular maturation (rat), 152
depletion, seminiferous tubule and luminal diameter and, during spermatogenic cycle, 304
polyamine concentrations, during testicular maturation (rat), 145
GIFT (gamete intrafallopian transfer), success rate, relation to sperm count and motility, 139
GnRH. *See* Gonadotropin releasing hormone
GnRH agonist
goserelin. *See* Zoladex
treatment, gonadal function and fertility after (dog), 456
GnRH antagonist, male sexual and nonsexual behaviors and (rat), 167
Gonadotropin releasing hormone (GnRH)
effects on pituitary gonadotropin secretion (rat), 180
immobilization stress and (rat), 210
Goserelin. *See* Zoladex
Gossypol, incorporation into TM_4 cells, 195
Growth hormone, secretion, GnRH and (rat), 180
Guanine-nucleotide regulatory protein, in fetal Leydig cell (rat), 487
Guanylate cyclase, sperm cell surface receptors, 99

H

Hamster oocyte penetration
by guinea pig and human spermatozoa, cytochalasine D and, 275
in oligozoospermia, A23187 and, 214
Hormones. *See also specific hormones*
reproductive, cocaine use in male and (rat), 17
Human chorionic gonadotropin (hCG), effect on Leydig cell–Sertoli cell co-culture, 359
Hyperactivity, in offspring, paternal cocaine use and (rat), 17
Hypoosmotic swelling test, sperm fertilizing capacity, 133
Hypophysectomy, Leydig cell development and, after Leydig cell destruction by EDS (rat), 472
Hypothalamic-pituitary-adrenal axis, ethanol ingestion and, 54

I

Image cytometry, sperm mitochondrial function and motility, 439
Immobilization stress, testicular testosterone and inhibin and (rat), 210
Immune-reproduction axis, testicular dysfunction in adjuvant-induced arthritis (rat), 419
Indazole-carboxylic acids, antispermatogenic activity (rat), 466
Indomethacin, male reproductive function and, 108
Infant, newborn, behavior, paternal cocaine use and (rat), 17
Infection, accessory sex glands, physical and biochemical markers in semen, 50
Infertility. *See* Fertility/infertility
Inhibin, testicular, immobilization stress and (rat), 210
Ionophore. *See* A23187

K

Kidney
subcapsular transplantation of testis, for study of Leydig cell development (rat), 335
vasopressin receptors in, 393
Kidney failure, pituitary response to LHRH during (rat), 174

L

Laboratory tests
in prediction of fertility, 89
radioimmunoassay materials, sources for, 332, 416
sperm acrosin activity, 221
synchronous assay for human sperm capacitation and acrosome reaction, 232
Leydig cells. *See also* TM_3 cell line
androgen and estrogen receptors, calcitonin and, 311
calcitonin effect on (rat), 311
co-culture with Sertoli cells, biochemical and morphologic effects, 359
development
after destruction by EDS in hypophysectomized rat, 472
study via kidney subcapsular transplantation of testis (rat), 335
Fc receptors, 159

fetal, transmembrane signaling system in (rat), 487
steroidogenesis, LHRH agonist-induced, arachidonic acid and (rat), 449
LHRH, pituitary response to, in chronic renal insufficiency (rat), 174
LHRH agonist, treatment, gonadal function and fertility after (dog), 456
Long chain fatty acid:CoASH ligase, in sperm phosphatidylcholine synthesis, 346
Luteinizing hormone (LH)
alpha subunit synthesis and secretion, GnRH and (rat), 180
beta subunit synthesis and secretion, GnRH and (rat), 180
immobilization stress and (rat), 210
pulsatility
deconvolution analysis, 248
testosterone secretion and (ram), 1
secretion
in chronic renal insufficiency, LHRH and (rat), 174
GnRH-stimulated, deconvolution analysis, 248
varicocele/orchiectomy and (rat), 372
stimulation of testosterone secretion, prolactin and (rat), 37
testolactone and, 240

M

Macrophages, testicular, 159
Mast cells, in male reproductive organs, neonatal steroid treatment and (rat), 351
Melanocyte-stimulating hormone (MSH), Sertoli cell response to (rat), 202
Methoxy acetic acid, seminiferous tubule and luminal diameter and, during spermatogenic cycle, 304
Microrecanalization, postvasectomy, 120
MK-906, effect on serum androgens and androgen conjugates, 259
MSH. *See* Melanocyte-stimulating hormone

O

Oligozoospermia
generation of oxygen radicals and defective sperm function in, 214
testolactone therapy, 240
Ontogeny, cytosolic androgen receptors in epididymis, vas deferens and seminal vesicle (mouse), 188
Orchiectomy, LH secretion and (rat), 372
L-Ornithine decarboxylase, testicular activity, during sexual maturation (rat), 152
Ovary, GnRH agonist treatment and (dog), 456
Oxaprozin, male reproductive function and, 108
Oxygen radicals, excessive generation by spermatozoa, in oligozoospermia, 214

P

Palmitic acid, phosphatidylcholine synthesis from, by spermatozoa, 346
Penis, nocturnal tumescence and rigidity, quantitative assessment via home monitor, 492
Peptides
egg, biochemical response of sperm to, 99
pituitary. *See* Pituitary hormones
Peritoneal fluid, of infertile women with endometriosis, tumor necrosis factor in, 270
pH, seminal fluid, in accessory sex gland infection, 50
Phosphatidylcholine, spermatozoal synthesis of, 346
Phospholipases, LHRH agonist-stimulated testosterone secretion by Leydig cells and (rat), 449
Pituitary gland
LH secretion after varicocele/orchiectomy (rat), 372
responsiveness to GnRH, blood testosterone level and (ram), 1
Pituitary hormones
effects of indomethacin and oxaprozin, 108
kinetics of secretion, GnRH and (rat), 180
Plasminogen activator
Sertoli cell secretion of, MSH and, 202
testicular secretion, 283
Polyamines, testicular concentrations, during testicular maturation (rat), 145
Pregnancy rate, with GIFT, sperm motility and quality and, 139
Prolactin
LH-stimulated testosterone secretion and (rat), 37
secretion, GnRH and (rat), 180
Pro-opiomelanocortin, testicular, 202
Prostaglandins, seminal, effects of indomethacin and oxaprozin, 108
Prostate, GnRH agonist treatment and (dog), 456
Prostate-specific antigen, in semen liquefaction, 432
Prostatitis, physical and biochemical markers in semen, 50
Protein, gossypol-conjugated, in TM_4 cells, 195
Puberty
delayed, ethanol-induced (mouse), 28
precocious, GnRH agonist therapy, gonadal function and fertility after (dog), 456
Putrescine, testicular concentrations, during testicular maturation (rat), 145

Q

Quality control, semen analysis, 378

R

Radioimmunoassay, materials available, sources for, 332, 416
Receptors
androgen
in epididymis, vas deferens and seminal vesicle, age and (mouse), 188
Leydig cell, calcitonin and, 311
estrogen, Leydig cell, calcitonin and, 311
sperm, for egg-associated molecules, 99
vasopressin, in seminal vesicles and renal medulla, 393
5α-Reductase, testicular, ethanol ingestion and (mouse), 28
5α-Reductase inhibitors, MK-906, 259
Renal insufficiency, chronic, pituitary response to LHRH during (rat), 174
Research materials, for biologic studies, sources for, 333, 417

S

Scent marking, in GnRH antagonist-treated male rat, testosterone dose-dependency of, 167
Semen
coagulation, seminal vesicle-specific antigen in, 432
liquefaction, prostate-specific antigen in, 432
Semen analysis
in accessory sex gland infection, 50
computerized. *See* CellSoft system
effects of indomethacin and oxaprozin, 108
in prediction of fertility, 89
quality control, 378
results of, relation to success of GIFT, 139
in varicocele (dog), 9
Seminal plasma

effects of indomethacin and oxaprozin, 108
FSH modulatory protein in, 386
Seminal vesicle
cytosolic androgen receptors in (mouse), 188
vasopressin receptors in, 393
Seminal vesicle-specific antigen, in semen coagulation, 432
Seminiferous tubule
lamina propria, intratesticular steroid metabolism and, 43
luminal diameter, elongated spermatids and, during spermatogenic cycle (rat), 304
Sertoli cells. *See also* TM_4 cells
calcitonin effect on (rat), 321
cellular L-ornithine decarboxylase and S-adenosyl-L-methionine decarboxylase activity, in testicular maturation (rat), 152
co-culture with Leydig cells, biochemical and morphologic effects, 359
mouse transformed. *See* TM_4 cells
polyamine concentrations, during testicular maturation (rat), 145
protein secretion, tolnidamine and (rat), 466
response to melanocyte-stimulating hormone (rat), 202
Sex accessory glands
infectious dysfunction, semen markers, 50
mast cells in, neonatal steroid treatment and (rat), 351
Sex hormone-binding globulin (SHBG)
binding capacity, testolactone and, 240
circadian variation, 366
Sexual activity/behavior
cocaine use and (rat), 17
in GnRH antagonist-treated male rat, testosterone dose-dependency of, 167
Sexual maturation
male, ethanol ingestion and (mouse), 28
testicular polyamine concentrations during (rat), 145
enzyme activity and, 152
Spermatids, elongated, in regulation of seminiferous tubule and luminal diameter, 304
Spermatogenesis, Zoladex therapy and (rat), 478
Spermatogenic cycle, seminiferous tubule and luminal diameter during, methoxy acetic acid and, 304
Spermatogonia, cyclophosphamide-induced mutations (rat), 296
Spermatozoa
acrosin activity, assay, 221
acrosome reaction, synchronous assay for, 232
capacitation, synchronous assay for, 232
characteristics, and prediction of fertility, 89
cocaine use and (rat), 17
fertility of sperm from caput epididymis, 263
fertilizing capacity, prediction of, computer image analysis in, 133
hamster egg penetration, cytochalasin D and, 275
maturation, in epididymis (rat), 64
membrane interaction with cauda epididymal fluid (rat), 64
mitochondrial function and motility, 439
motion
computer image analysis. *See also* CellSoft system
in predicting in vitro fertilizing capacity, 133
effects of indomethacin and oxaprozin, 108
phosphatidylcholine synthesis, 346
in semen of vasectomized men, 120
signaling mechanisms, molecular basis (sea urchin), 99
Sperm concentration, variability in assessing, 378
Spermidine, testicular concentrations, during testicular maturation (rat), 145
Spermine, testicular concentrations, during testicular maturation (rat), 145
Sperm morphology, variability in assessing, 378
Sperm motility. *See also* Spermatozoa, motion
epichlorohydrin administration and (rat), 401
sperm mitochondrial function and, 439
success rate of GIFT and, 139
tumor necrosis factor and, in vitro study, 270
variability in assessing, 378
Sperm quality, success rate of GIFT and, 139
Steroid dehydrogenase, testicular activity, 159
Steroid metabolism, testicular, in vitro study, 43
Steroidogenesis, Leydig cell, LHRH agonist-induced, arachidonic acid and (rat), 449
Stress, immobilization. *See* Immobilization stress

T

Testibumin, Sertoli cell secretion, tolnidamine and (rat), 466
Testis
androgen-binding protein in (seasonal breeder), 289
fetal, Leydig cell transmembrane signaling system (rat), 510
FSH modulatory protein in, 386
function
in adjuvant-induced arthritis (rat), 419
Zoladex therapy and (rat), 478
GnRH agonist treatment and (dog), 456
LH-stimulated testosterone secretion in, prolactin and (rat), 37
mast cells in, neonatal steroid treatment and (rat), 351
maturation
cellular concentrations of polyamines during (rat), 145
cellular L-ornithine decarboxylase and S-adenosyl-L-methionine decarboxylase activity and (rat), 152
morphology, 43
varicocele and (dog), 9
plasminogen activator secretion, 283
5α-reductase, ethanol ingestion and (mouse), 28
steroid metabolism and morphologic features, 43
steroidogenic response to LH (ram), 1
transplantation under kidney capsule, for study of Leydig cell development (rat), 335
Testolactone, for oligozoospermia, 240
Testosterone
behavioral effects, in GnRH antagonist-treated male rat, 167
immobilization stress and (rat), 210
Leydig cell secretion, LHRH agonist-induced, arachidonic acid and (rat), 449
non-sex hormone-binding globulin-bound, circadian variation in, aging and, 366
secretion
LH pulsatility and (ram), 1
LH-stimulated, prolactin and (rat), 37
serum
in adjuvant-induced arthritis (rat), 419
effect of MK-906, 259
synthesis, in fetal Leydig cell (rat), 487
testolactone and, 240
Zoladex therapy and (rat), 478
TM_3 cell line, calcitonin effect on, 311
TM_4 cells
calcitonin effect on, 321
incorporation of gossypol and formation of its protein conjugates in, 195
TNF. *See* Tumor necrosis factor
Tolnidamine, Sertoli cell protein secretion and (rat), 466
Transferrin, Sertoli cell secretion, tolnidamine and (rat), 466
Transplantation, testis. *See* Testis
Tumor necrosis factor (TNF), in vitro sperm motility and, 270

U

Ultrastructure. *See* Electron microscopy
Uremia, chronic, pituitary response to LHRH during (rat), 174
Urokinase, testicular plasminogen activator and, 283

V

Varicocele
LH secretion and (rat), 372
testicular morphology and hemodynamic studies (dog), 9
Vas deferens, cytosolic androgen receptors in (mouse), 188
Vasectomy, microrecanalization after, 120
Vasoepididymostomy, for obstructive azoospermia, fertility of sperm from caput epididymis, 263
Videomicrography, epichlorohydrin administration and sperm motility (rat), 401

Z

Zoladex (goserelin), depot formulation, testicular effects (rat), 478
Zymography, testicular secretion of plasminogen activator, 283

Author Index to Volume 10

A

Abel, E. L., Moore, C., Waselewsky, D., Zajac, C., Russell, L. D.: Effects of cocaine hydrochloride on reproductive function and sexual behavior of male rats and on the behavior of their offspring, 17
Agarwal, A., Hoffer, A.P.: Ultrastructural studies on the development of the blood-epididymis barrier in immature rats, 425
Aguilar, R.: *see* Gaytan, F.
Aitken, R. J., Clarkson, J. S., Hargreave, T. B., Irvine, D. S., Wu, F. C. W.: Analysis of the relationship between defective sperm function and the generation of reactive oxygen species in cases of oligozoospermia, 214
Amann, R. P.: Can the fertility potential of a seminal sample be predicted accurately?, 89
Anderson, R. A., Jr., Phillips, J. F., Zaneveld, L. J. D.: Chronic ethanol ingestion during puberty alters the transient increase in testicular 5A-reductase in the swiss-webster mouse, 28
Auger, J., Ronot, X., Dadoune, J. P.: Human sperm mitochondrial function related to motility: A flow and image cytometric assessment, 439
Auroux, M. R.: *see* Dulioust, E. J. B.
Ayala, C.: *see* Rodriguez-Rigau, L. J.

B

Balbontin, J. B., Bustos-Obregon, E.: Identification of androgen binding-protein (ABP) from testis and epididymis of the seasonal rodent, *Octodon degus* (Molina, 1872), 289
Baldi, E.: *see* Maggi, M.
Bals-Pratsch, M.: *see* Knuth, U. A.
Banks, S. M.: *see* Burris, A. S.
Bardin, C. W.: *see* Boitani, C.
Bardin, C. W.: *see* Nakhla, A. M.
Bardin, C. W.: *see* Rossi, V.
Bardin, C. W.: *see* Ward, J. A.
Barratt, C. L. R.: *see* Dunphy, B. C.
Bastias, C.: *see* Rogers, B. J.
Batson, J.: *see* Pryor, J. L.
Bélanger, A.: *see* Lacoste, D.
Bellido, C.: *see* Gaytan, F.
Berg, L.: *see* Lee, C.
Berger, M.: *see* Gallon, Ch.
Bhasin, S.: *see* Fielder, T. J.
Bielfeld, P.: *see* Kennedy, W. P.
Blackwell, J.: *see* Kennedy, W. P.
Boitani, C., Farini, D., Canipari, R., Bardin, C. W.: Estradiol and plasminogen activator secretion by cultured rat sertoli cells in response to melanocyte-stimulating hormones, 202
Bremner, W.: *see* Plymate, S. R.
Bruot, B. C.: *see* Clemens, J. W.
Burris, A. S., Banks, S. M., Sherins, R. J.: Quantitative assessment of nocturnal penile tumescence and rigidity in normal men using a home monitor, 492
Bustos-Obregon, E.: *see* Balbontin, J. B.

C

Canipari, R.: *see* Boitani, C.
Carlström, K.: *see* Fredricsson, B.
Carrera, F.: *see* Gaytan, F.
Chan, S. Y. W., Wang, C., Ng, M., Tam, G., Lo, T., Tsoi, W. L., Nie, G., Leung, J.: Evaluation of computerized analysis of sperm movement characteristics and differential sperm tail swelling patterns in predicting human sperm *in vitro* fertilizing capacity, 133
Chatelain, P. G.: *see* Reventos, J.
Cheng, C. Y.: *see* Rossi, V.
Chubb, C.: Genetically defined mouse models of male infertility, 77
Clark, R. V., Sherins, R. J.: Treatment of men with idiopathic oligozoospermic infertility using the aromatase inhibitor, testolactone results of a double-blinded, randomized, placebo-controlled trial with crossover, 240
Clarkson, J. S.: *see* Aitken, R. J.
Clemens, J. W., Bruot, B. C. Testicular dysfunction in the adjuvant-induced arthritic rat, 419
Cockett, A. T. K.: *see* Sluss, P. M.
Collins, J. L.: *see* Eisermann, J.
Comhaire, F. H., Vermeulen, L., Pieters, O.: Study of the accuracy of physical and biochemical markers in semen to detect infectious dysfunction of the accessory sex glands, 50
Cooke, I. D.: *see* Dunphy, B. C.
Costantini, A.: *see* Maggi, M.
Coulson, R. L.: *see* Rogers, B. J.
Cromie, W. J.: *see* Sluss, P. M.
Crosby, J.: *see* Knuth, U. A.
Curry, B.: *see* Ward, J. A.

D

Dadoune, J. P.: *see* Auger, J.
Daver, R.: *see* Shubhada, S.
de Jonge, C. J., Mack, S. R., Zaneveld, L. J. D.: Synchronous assay for human sperm capacitation and the acrosome reaction, 232
Demura, H.: *see* Demura, R.
Demura, R., Suzuki, T., Nakamura, S., Komatsu, H., Odagiri, E., Demura, H.: Effect of immobilization stress on testosterone and inhibin in male rats, 210
de Rooij, D. G.: *see* Teerds, K. J.
de Turckheim, M.: *see* Gallon, Ch.
Didolkar, A. K., Sundaram, K.: Mechanism of LHRH-stimulated steroidogenesis in rat Leydig cells: Lipoxygenase products of arachidonic acid may not be involved. 449
Dietz, J. R.: *see* Nasian, S. J.
Dubé, D.: *see* Lacoste, D.
Dulioust, E. J. B., Nawar, N. Y., Yacoub, S. G., Ebel, A. B., Kempf, E. H., Auroux, M. R.: Cyclophosphamide in the male rat: New pattern of anomalies in the third generation, 296.
Dunphy, B. C., Kay, R., Barratt, C. L. R., Cooke, I. D.: Quality control during the conventional analysis of semen, an essential exercise, 378

E

Ebel, A. B.: *see* Dulioust, E. J. B.
Eisermann, J., Register, K. B., Strickler,

R. C., Collins, J. L.: The effect of tumor necrosis factor on human sperm motility *in vitro*, 270
Evans, W. S.: *see* Pryor, J. L.

F

Farini, D.: *see* Boitani, C.
Feste, J. R.: *see* Rodriguez-Rigau, L. J.
Fielder, T. J., Peacock, N. R., McGiven, R. F., Swerdloff, R. S., Bhasin, S.: Testosterone dose-dependency of sexual and nonsexual behaviors in the gonadotropin-releasing hormone antagonist-treated male rat, 167
Fitzgerald, L. M.: *see* Tanphaichitr, N.
Fredricsson, B., Carlström, K., Plöen, L.: Steroid metabolism and morphologic features of the human testis, 43
Freund, M. J., Weidmann, J. E., Goldstein, M., Marmar, J., Santulli, R., Oliveira, N.: Microrecanalization after vasectomy in man, 120
Fung, M.-C., Wah, G. C., Odell, W. D.: Effects of prolactin on luteinizing hormone-stimulated testosterone secretion in isolated perfused rat testis, 37
Furr, B. J. A.: *see* Ward, J. A.

G

Gallon, Ch., Veyssière, G., Berger, M., Jean-Faucher, Ch., de Turckheim, M., Jean, Cl.: Age-related changes in the concentration of cytosolic androgen receptors in the epididymis, vas deferens, and seminal vesicle of maturing male mice, 188
Garbers, D. L.: Molecular basis of signaling in the spermatozoon, 99
Gaytan, F., Carrera, G., Pinilla, L., Aguilar, R., Bellido, C.: Mast cells in the testis, epididymis and accessory glands of the rat: Effects of neonatal steroid treatment, 351
Genazzani, D. A.: *see* Maggi, M.
Giannini, S.: *see* Maggi, M.
Gibbons, W.: *see* Rodriguez-Rigau, L. J.
Goldstein, M.: *see* Freund, M. J.
Grunert, G.M.: *see* Rodriguez-Rigau, L. J.
Gunsalus, G. L.: *see* Rossi, V.
Gunsalus, G. L.: *see* Ward, J. A.

H

Hall, J. C., Killian, G. J.: Two-dimensional gel electrophoretic analysis of rat sperm membrane interaction with cauda epididymal fluid, 64
Hargreave, T. B.: *see* Aitken, R. J.
Hoffer, A. P.: *see* Agarwal, A.
Huhtaniemi, I. T.: *see* Kuopio, T.
Hutson, J. C.: Leydig cells do not have Fc receptors, 159

I

Iranmanesh, A., Veldhuis, J. D., Johnson, M. L., Lizarralde, G.: 24-Hour pulsatile and circadian patterns of cortisol secretion in alcoholic men, 54
Irvine, D. S.: *see* Aitken, R. J.

J

Jänne, O. A.: *see* Nakhla, A. M.
Jean, Cl.: *see* Gallon, Ch.
Jean-Faucher, Ch.: *see* Gallon, Ch.
Jeyendran, R. S.: *see* Kennedy, W. P.
Johnson, M. L.: *see* Iranmanesh, A.
Jones, R. E., Plymate, S. R.: Phosphatidylcholine synthesis in human spermatozoa, 346

K

Kaminski, J. M.: *see* Kennedy, W. P.
Kay, R.: *see* Dunphy, B. C.
Keefer, M.: *see* Lee, C.
Kelly, R. W.: *see* Knuth, U. A.
Kempf, E. H.: *see* Dulioust, E. J. B.
Kennedy, W. P., Kaminski, J. M., Van Der Ven, H. H., Jeyendran, R. S., Reid, D. S., Blackwell, J., Bielfeld, P., Zaneveld, L. J. D.: A simple, clinical assay to evaluate the acrosin activity of human spermatozoa, 221
Killian, G. J.: *see* Hall, J. C.
Knuth, U. A., Kühne, J., Crosby, J., Bals-Pratsch, M., Kelly, R. W., Nieschlag, E.: Indomethacin and oxaprozin lower seminal levels but do not influence sperm motion characteristics and serum hormones of young healthy men in a placebo-controlled double-blind trial, 108
Komatsu, H.: *see* Demura, R.
Krieg, R. J., Jr.: *see* Pryor, J. L.
Kroes, R.: *see* Lee, C.
Kühne, J.: *see* Knuth, U. A.
Kuopio, T., Savouras, P. OD., Pelliniemi, L. J., Huhtaniemi, I. T.: Transplantation of newborn rat testis under the kidney capsule of adult host as a model to study the structure and function of Leydig cells, 335

L

Labrie, F.: *see* Lacoste, D.
Lacoste, D., Dubé, D., Trudel, C., Bélanger, A., Labrie, F.: Normal gonadal functions and fertility after 23 months of treatment of prepubertal male and female dogs with the GnRH agonist [D-Trp^6, des-Gly-$NH_2{}^{10}$] GnRH ethylamide, 456
Lasseter, K. C.: *see* Rittmaster, R. S.
Laven, J. S. E., Wensing, C. J. G.: Induction of varicocele in the dog: I. Partial ligation of the left renal vein does not induce a varicocele in the dog, 9
Lee, C., Keefer, M., Zhao, Z. W., Kroes, R., Berg, L., Liu, X., Sensibar, J.: Demonstration of the role of prostate-specific antigen in semen liquefaction by two-dimensional electrophoresis, 432
Leung, J.: *see* Chan, S. Y. W.
Lin, S.-N.: *see* Shubhada, S.
Liu, X.: *see* Lee, C.
Lizarralde, F.: *see* Iranmanesh, A.
Lo, T.: *see* Chan, S. Y. W.
Lotze, E. C.: *see* Rodriguez-Rigau, L. J.

M

Mack, S. R.: *see* de Jonge, C. J.
Maekawa, M.: *see* Nishimune, Y.
Maggi, M., Baldi, E., Genazzani, A. D., Giannini, S., Natali, A., Costantini, A., Rodbard, D., Serio, M.: Vasopressin receptors in human seminal vesicles: Identification, pharmacologic characterization, and comparison with the vasopressin receptors present in the human kidney, 393
Marmar, J.: *see* Freund, M. J.
Mather, J. P.: *see* Nakhla, A. M.
Matsumoto, K.: *see* Nishimune, Y.
Matsuo, O.: *see* Nishimune, Y.
McGiven, R. F.: *see* Fielder, T. J.
Moore, C.: *see* Abel, E. L.
Morris, I. D.: *see* Ward, J. A.

N

Nakamura, M.: *see* Nishimune, Y.
Nakamura, S.: *see* Demura, R.
Nakhla, A. M., Bardin, C. W., Salomon, Y., Mather, J. P., Jänne, O. A.: The actions of calcitonin on the TM_3 Leydig cell line and on rat Leydig cell-enriched cultures, 311
Nakhla, A. M., Mather, J. P., Jänne, O. A., Bardin, C. W.: The action of calcitonin on the TM_4 sertoli cell line and on rat sertoli cell-enriched cultures, 321
Namiki, M.: *see* Nishimune, Y.
Nance, D.: *see* Rittmaster, R. S.
Natali, A.: *see* Maggi, M.
Nawar, N.Y.: *see* Dulioust, E. J. B.
Nazian, S. J., Dietz, J. R., Rowland, M. D.: Pituitary response to LHRH during chronic renal insufficiency in the male rat, 174
Ng, M.: *see* Chan, S. Y. W.
Nie, G.: *see* Chan, S. Y. W.
Nieschlag, E.: *see* Knuth, U. A.
Nishimune, Y., Sawada, K., Tajima, Y., Watanabe, D., Maekawa, M., Sakamaki, K., Okuyama, A., Nakamura, M., Namiki, M., Matsumoto, K., Matsuo, O.: Secretion of plasminogen activator in response to follicle-stimulating hormone in culture medium of human testicular cells from biopsy specimens, 283

O

Odagiri, E.: *see* Demura, R.
Odell, W. D.: *see* Fung, M.-C.
Okuyama, A.: *see* Nishimune, Y.
Oliveira, N.: *see* Freund, M. J.

P

Peacock, N. R.: *see* Fielder, T. J.
Pelliniemi, L. J.: *see* Kuopio, T.

Perrard-Sapori, M. H.: *see* Reventos, J.
Phillips, J. F.: *see* Anderson, R. A., Jr.
Pieters, O.: *see* Comhaire, F. H.
Pinilla, L.: *see* Gaytan, F.
Plöen, L.: *see* Fredricsson, B.
Plymate, S. R., Tenover, J. S., Bremner, W.: Circadian variation in testosterone, sex hormone-binding globulin, and calculated nonsex hormone-binding globulin bound testosterone in healthy young and elderly men, 366
Plymate, S. R.: *see* Jones, R. E.
Ponzilius, K.-M.: *see* Sanford, L. M.
Pryor, J. L., Krieg, R. J., Jr., Evans, W. S., Batson, J., Turner, T. T.: Luteinizing hormone secretion by male rat pituitary cells perifused *in vitro*: Effect of experimental left varicocele and orchiectomy, 372

Q

Qian, Z.-Y.: *see* Shubhada, S.

R

Read, E. J.: *see* Toth, G. P.
Register, K. B.: *see* Eisermann, J.
Reid, D. S.: *see* Kennedy, W. P.
Reventos, J., Perrard-Sapori, M. H., Chatelain, P. G., Saez, J. M.: Leydig cell and extracellular matrix effects on sertoli cell function: Biochemical and morphologic studies, 359
Rittmaster, R. S., Stoner, E., Thompson, D. L., Nance, D., Lasseter, K. C.: Effect of MK-906, a specific 5A-reductase inhibitor, on serum androgens and androgen conjugates in normal men, 259
Rodbard, D.: *see* Maggi, M.
Rodriguez-Rigau, L. J., Ayala, C., Grunert, G. M., Woodward, R. M., Lotze, E. C., Feste, J. R., Gibbons, W., Smith, K. D., Steinberger, E.: Relationship between the results of sperm analysis and GIFT, 139
Rogers, B. J., Bastias, C., Coulson, R. L., Russell, L. D.: Cytochalasin D inhibits penetration of hamster eggs by guinea pig and human spermatozoa, 275
Rommerts, F. F. G.: *see* Teerds, K. J.
Ronot, X.: *see* Auger, J.
Rossi, V., Cheng, C. Y., Gunsalus, G. L., Bardin, C. W., Spitz, I. M.: The differential effects of the indazolecarboxylic acid derivative, tolnidamine, on Sertoli cell protein secretion, 466
Rowland, J. A.: *see* Vogel, D. L.
Rowland, M. D.: *see* Nazian, S. J.
Russell, L. D.: *see* Abel, E. L.
Russell, L. D.: *see* Rogers, B. J.

S

Saez, J. M.: *see* Reventos, J.
Sakamaki, K.: *see* Nishimune, Y.
Salomon, Y.: *see* Nakhla, A. M.
Sanford, L. M., Ponzilius, K.-M.: The pattern of LH release in the adult ram influences the testicular steroidogenic response to individual LH pulses and is regulated by testosterone negative feedback, 1
Santulli, R.: *see* Freund, M. J.
Savouras, P. OD.: *see* Kuopio, T.
Sawada, K: *see* Nishimune, Y.
Schneyer, A. L.: *see* Sluss, P. M.
Sensibar, J.: *see* Lee, C.
Serio, M.: *see* Maggi, M.
Sharpe, R. M.: Possible role of elongated spermatids in control of stage-dependent changes in the diameter of the lumen of the rat seminiferous tubule, 304
Sherins, R. J.: *see* Burris, A. S.
Sherins, R. J.: *see* Clark, R. V.
Sherins, R. J.: *see* Vogel, D. L.
Shubhada, S., Daver, R., Tsai, Y.-H.: The changing profiles of L-ornithine decarboxylase and S-adenosyl-L-methionine decarboxylase activities in testicular cell types during sexual maturation of male rats, 152
Shubhada, S., Lin, S.-N., Qian, Z.-Y., Steinberger, A., Tsai, Y.-H.: Polyamine profiles in rat testis, germ cells and sertoli cells during testicular maturation, 145
Silber, Sherman J.: Apparent fertility of human spermatozoa from the caput epididymidis, 263
Sluss, P. M., Schneyer, A. L., Cockett, A. T. K., Cromie, W. J.: Identification of a potential FSH modulatory protein in human testis and seminal plasma, 386
Smith, K. D.: *see* Rodriguez-Rigau, L. J.
Smith, M. K.: *see* Toth, G. P.
Spitz, I. M.: *see* Rossi, V.
Steinberger, A.: *see* Shubhada, S.
Steinberger, E.: *see* Rodriguez-Rigau, L. J.
Stober, J. A.: *see* Toth, G. P.
Stoner, E.: *see* Rittmaster, R. S.
Strickler, R. C.: *see* Eisermann, J.
Sundaram, K.: *see* Didolkar, A. K.
Suzuki, T.: *see* Demura, R.
Swerdloff, R. S.: *see* Fielder, T. J.

T

Tajima, Y.: *see* Nishimune, Y.
Tam, G.: *see* Chan, S. Y. W.
Tanphaichitr, N., Fitzgerald, L. M.: Incorporation of gossypol and formation of its protein conjugates in mouse transformed sertoli (TM4) cells, 195
Teerds, K. J., de Rooij, D. G., Rommerts, F. F. G., Van Den Hurk, R., Wensing, C. J. G.: Stimulation of the proliferation and differentiation of Leydig cell precursors after the destruction of existing Leydig cells with ethane dimethyl sulphonate (EDS) can take place in the absence of LH, 472
Tenover, J. S.: *see* Plymate, S. R.
Thompson, D. L.: *see* Rittmaster, R. S.
Toth, G. P., Stober, J. A., Read, E. J., Zenick, H., Smith, M. K.: The automated analysis of rat sperm motility following subchronic epichlorohydrin administration: Methodologic and statistical considerations, 401
Trudel, C.: *see* Lacoste, D.
Tsai, Y.-H.: *see* Shubhada, S.
Tsoi, W. L.: *see* Chan, S. Y. W.
Turner, T. T.: *see* Pryor, J. L.

V

Valcaccia, B.: *see* Ward, J. A.
Van Den Hurk, R.: *see* Teerds, K. J.
Van Der Ven, H. H.: *see* Kennedy, W. P.
Veldhuis, J. D., Winters, S. J.: Nature of alpha subunit secretion in men: Circadian rhythms, pulsatile release and secretory profiles, 248
Veldhuis, J. D.: *see* Iranmanesh, A.
Vermeulen, L.: *see* Comhaire, F. H.
Veyssière, G.: *see* Gallon, Ch.
Vogel, D. L., Rowland, J. A., Sherins, R. J.: Kinetics of secretion of luteinizing hormone subunits and free alpha, and effects of gonadotropin releasing hormone, 180

W

Wah, G. C.: *see* Fung, M.-C.
Wang, C.: *see* Chan, S. Y. W.
Ward, J. A., Furr, B. J. A., Valcaccia, B., Curry, B., Bardin, C. W., Gunsalus, G. L., Morris, I. D.: Prolonged suppression of rat testis function by a depot formulation of zoladex, a GnRH agonist, 478
Warren, D. W.: Development of transmembrane signaling in the fetal rat Leydig cell, 487
Waselewsky, D.: *see* Abel, E. L.
Watanabe, D.: *see* Nishimune, Y.
Weidmann, J. E.: *see* Freund, M. J.
Wensing, C. J. G.: *see* Laven, J. S. E.
Wensing, C. J. G.: *see* Teerds, K. J.
Winters, S. J.: *see* Veldhuis, J. D.
Woodward, R. M.: *see* Rodriguez-Rigau, L. J.
Wu, F. C. W.: *see* Aitken, R. J.

Y

Yacoub, S. G.: *see* Dulioust, E. J. B.

Z

Zajac, C.: *see* Abel, E. L.
Zaneveld, L. J. D.: *see* Anderson, R. A., Jr.
Zaneveld, L. J. D.: *see* de Jonge, C. J.
Zaneveld, L. J. D.: *see* Kennedy, W. P.
Zenick, H.: *see* Toth, G. P.
Zhao, Z. W.: *see* Lee, C.